

28mm Width Butterfly Weave

Compatible for 700*28C-45C tire
(Tubeless Ready)

Bladed Carbon Spokes (ProX CS1)
Only 2.9g/pc!





ProX C68DB Disc Hubs-Ceramic Bearings
Shimano 11/12s or SRAM 12s XDR Optional

36T Ratchet Freehub System

Precise Hand-built

20 spoke holes

ProX Butterfly Weave C68DB Ultra Light Full Carbon Spoke Disc Road Wheels

Model	C68DB-BRD28-33C-CS1	C68DB-BRD28-38C-CS1	C68DB-BRD28-45C-CS1	C68DB-BRD28-50C-CS1	C68DB-BRD28-55C-CS1
Rim Drawing					
Rim Depth	33mm	38mm	45mm	50mm	55mm
Rim Width	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	C68DB Road Disc	C68DB Road Disc	C68DB Road Disc	C68DB Road Disc	C68DB Road Disc
Front Size	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle
Rear Size	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle
Spoke	ProX CS1	ProX CS1	ProX CS1	ProX CS1	ProX CS1
Tire Size (Recommended)	700*28C-45C	700*28C-45C	700*28C-45C	700*28C-45C	700*28C-45C
Weight (+/-3%)	1186g	1216g	1256g	1296g	1306g



28mm Outer width

Undulating rim depth optional:
30-35mm
45-50mm
60-65mm

Finish optional:
Non-paint
Pearl white

Full carbon spoke width:
3.1mm
5.5mm




ProX C67DB Disc Hubs-Ceramic Bearings
Shimano 11/12s or SRAM 12s XDR

36T Ratchet Freehub System

Precise Hand-built

21 spoke holes (14:7 ratio)

ProX Super Light C67DB Ratchet System Full Carbon Spoke Road Wheels (Undulating Rims)

Model	C67DB-NRD28-305-CS1 C67DB-NRD28-305-White-CS1	C67DB-NRD28-450-CS1 C67DB-NRD28-450-White-CS1	C67DB-NRD28-605-CS1 C67DB-NRD28-605-White-CS1
Rim Drawing			
Rim Depth	30-35mm	45-50mm	60-65mm
Rim Width	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	ProX C67DB Disc	ProX C67DB Disc	ProX C67DB Disc
Front Size	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle
Rear Size	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle
Spoke	ProX CS1	ProX CS1	ProX CS1
Tire Size (Recommended)	700*28C-45C	700*28C-45C	700*28C-45C
Weight (+/-3%)	1175g/1265g	1295g/1385g	1420g/1520g

DT Swiss 240 EXP Disc Brake Hubs
(We also have DT180, DT350 hubs)

Ratchet EXP 36T Freehub System
Shimano 11/12s or Sram 12s XDR freehub optional

Sapim CX-Ray spokes, super aero and light





Professional Tubeless Wheelset Lightweight

23mm inner width carbon rims

Compatible for 700*30C-50C tire (tubeless ready)

Precise Wheels Handbuilt

ProX High-end DT240 EXP Disc Brake Carbon Road Wheels (29mm Width)

Model	240DB-PRD29-38C-Ray	240DB-PRD29-45C-Ray	240DB-PRD29-50C-Ray	240DB-PRD29-55C-Ray	240DB-PRD29-60C-Ray
Rim Drawing					
Rim Depth	38mm	45mm	50mm	55mm	60mm
Rim Width	29mm Outer (23mm Inner)	29mm Outer (23mm Inner)	29mm Outer (23mm Inner)	29mm Outer (23mm Inner)	29mm Outer (23mm Inner)
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	DT240 EXP Road Disc	DT240 EXP Road Disc	DT240 EXP Road Disc	DT240 EXP Road Disc	DT240 EXP Road Disc
Front Size	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle
Rear Size	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle
Spoke	Sapim CX-Ray	Sapim CX-Ray	Sapim CX-Ray	Sapim CX-Ray	Sapim CX-Ray
Tire Size (Recommended)	700*30C-50C	700*30C-50C	700*30C-50C	700*30C-50C	700*30C-50C
Weight (+/-3%)	1325g	1345g	1405g	1465g	1505g



28mm Width Carbon Rims

Pillar 1423 Spokes, Aero & Strong





Precise Wheels Handbuilt

ProX C52DB Disc Hubs-Ceramic Bearings
Shimano 11/12s or SRAM 12s XDR Optional

36T Ratchet Freehub System




Compatible for 700*28C-45C tire

ProX Mid-range C52DB Ratchet System Hub Carbon Road Wheels

Model	C52DB-PRD28-33C-1423	C52DB-PRD28-38C-1423	C52DB-PRD28-44C-1423	C52DB-PRD28-50C-1423	C52DB-PRD28-55C-1423
Rim Drawing					
Rim Depth	33mm	38mm	44mm	50mm	55mm
Rim Width	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	C52DB Road Disc	C52DB Road Disc	C52DB Road Disc	C52DB Road Disc	C52DB Road Disc
Front Size	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle
Rear Size	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle
Spoke	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	700*28C-45C	700*28C-45C	700*28C-45C	700*28C-45C	700*28C-45C
Weight (+/-3%)	1345g	1365g	1405g	1465g	1505g



ProX Mid-range C52DB Ratchet System Hub Carbon Road Wheels (Undulating Rims)

Model	C52DB-NRD28-305-1423 C52DB-NRD28-305-White-1423	C52DB-NRD28-450-1423 C52DB-NRD28-450-White-1423	C52DB-NRD28-605-1423 C52DB-NRD28-605-White-1423
Rim Drawing			
Rim Depth	30-35mm	45-50mm	60-65mm
Rim Width	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)	28mm Outer (21mm Inner)
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	ProX C52DB Disc	ProX C52DB Disc	ProX C52DB Disc
Front Size	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle
Rear Size	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle
Spoke	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	700*28C-45C	700*28C-45C	700*28C-45C
Weight (+/-3%)	1175g/1265g	1295g/1385g	1420g/1520g



25mm Width Carbon Rims

Pillar 1423 Spokes, Aero&Strong






Precise Wheels Handbuilt

ProX 98DB Economical Disc Brake Hubs

6-Pawl Freehub System
Shimano 11/12s or SRAM 12s XDR Optional



Compatible for 700*25C-45C tire (tubeless ready)

**ProX Affordable 98DB Carbon Road Wheels (25mm Width)**

Model	98DB-PRD25-38C-1423	98DB-PRD25-45C-1423	98DB-PRD25-50C-1423	98DB-PRD25-60C-1423	98DB-PRD25-80C-1423
Rim Drawing					
Rim Depth	38mm	45mm	50mm	60mm	80mm
Rim Width	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)	25mm Outer (18mm Inner)
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	ProX 98DB Disc	ProX 98DB Disc	ProX 98DB Disc	ProX 98DB Disc	ProX 98DB Disc
Front Size	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle	12*100mm Thru-Axle
Rear Size	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle	12*142mm Thru-Axle
Spoke	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	700*25C-45C	700*25C-45C	700*25C-45C	700*25C-45C	700*25C-45C
Weight (+/-3%)	1467g	1527g	1587g	1727g	2007g

26mm Width Carbon Rims
ProX 97DB Economical Disc Hubs
**Compatible for 700*25C-45C tire
(Tubeless Compatible)**
**6-Pawl Freehub System
Shimano 11/12s or SRAM 12s XDR Optional**
Pillar 1423 Spokes, Aero & Strong
Precise Wheels Handbuilt


ProX Super Cheap 97DB Carbon Road Wheels (26mm Width)

Model	97DB-NRD26-38C-1423	97DB-NRD26-50C-1423
Rim Drawing		
Rim Depth	38mm	50mm
Rim Width	26mm	26mm
Tire Type	Tubeless or Clincher	Tubeless or Clincher
Hub	ProX 97DB Disc	ProX 97DB Disc
Front Size	12*100mm	12*100mm
Rear Size	12*142mm	12*142mm
Spoke	Pillar 1423	Pillar 1423
Tire Size (Recommended)	700*25C-45C	700*25C-45C
Weight (+/-3%)	1470g	1510g



26mm Inner Width For CX/Gravel

Pillar 1423 spokes, Aero&strong

Precise Wheels Handbuilt




DT Swiss 350 Disc Brake Hubs
(We also have DT180, DT240 hubs)

Ratchet Freehub System
Shimano 11/12s or Sram 12s XDR freehub optional

Compatible for 700*37C-50C tire (tubeless ready)



ProX Premium DT350 Disc Brake 700C Cyclocross Gravel Carbon Wheels

Model	350DB-PXG26-40C-1423	350DB-PXG26-45C-1423	350DB-PXG26-50C-1423
Rim Drawing			
Rim Depth	40mm	45mm	50mm
Rim Width	31.5mm Outer (26mm Inner)	31.5mm Outer (26mm Inner)	31.5mm Outer (26mm Inner)
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	DT350 Road disc	DT350 Road disc	DT350 Road disc
Front Size	12*100mm	12*100mm	12*100mm
Rear Size	12*142mm	12*142mm	12*142mm
Spoke	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	700*37C-50C	700*37C-50C	700*37C-50C
Weight (+/-3%)	1519g	1559g	1599g

26mm Inner Width For CX/Gravel

Pillar 1423 Spokes, Aero & Strong

Precise Wheels Handbuilt




ProX C52DB Disc Hubs-Ceramic Bearings

36T Ratchet Freehub System
Shimano 11/12s or Sram 12s XDR freehub optional

Compatible for 700*37C-50C tire
(tubeless ready)



ProX Mid-range C52DB Ratchet System Hub Disc Brake 700C Gravel Carbon Wheels

Model	C52DB-PXG26-40C-1423	C52DB-PXG26-40C-1423	C52DB-PXG26-40C-1423
Rim Drawing			
Rim Depth	40mm	45mm	50mm
Rim Width	32mm Outer (26mm Inner)	32mm Outer (26mm Inner)	32mm Outer (26mm Inner)
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	ProX C52DB Road Disc	ProX C52DB Road Disc	ProX C52DB Road Disc
Front Size	12*100mm	12*100mm	12*100mm
Rear Size	12*142mm	12*142mm	12*142mm
Spoke	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	700*37C-50C	700*37C-50C	700*37C-50C
Weight (+/-3%)	1500g	1540g	1580g



Bead Hook and Hookless rims optional


ProX 98DB Economical Disc Brake Hubs

Pillar 1423 spokes, Aero&strong

6-Pawl Freehub System
Shimano 11/12s or SRAM 12s XDR Optional

Precise Wheels Handbuilt

Compatible for 700*30C-50C tire (tubeless ready)



ProX Affordable 98DB Disc Brake 700C Gravel Carbon Wheels

Model	98DB-PCX33-1423	98DB-PZX33-1423	98DB-PCX44-1423	98DB-PZX44-1423
Rim Drawing				
Rim Depth	33mm	33mm	44mm	44mm
Rim Width	28mm	28mm	28mm	28mm
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	ProX 98DB Disc	ProX 98DB Disc	ProX 98DB Disc	ProX 98DB Disc
Front Size	12*100mm	12*100mm	12*100mm	12*100mm
Rear Size	12*142mm	12*142mm	12*142mm	12*142mm
Spoke	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	700*30C-50C	700*30C-50C	700*30C-50C	700*30C-50C
Weight (+/-3%)	1487g	1487g	1547g	1547g

XC/TR/AM/EN rims optional

DT Swiss 350 MTB Boost Hubs
(We also have DT180, DT240 hubs)

Sapim Race spokes, strong&stiff

Ratchet Freehub System
Shimano 11s, Microspline 12s or SRAM XD optional

Precise Wheels Handbuilt

Tubeless Ready

ProX Premium DT350 Mountain Bike Boost Carbon Wheels

Model	350MB-PAD930-Race	350MB-PAD930GP-Race	350MB-PAD933-Race	350MB-PAD933GP-Race	350MB-PAD938-AM-Race	350MB-PAD940-Race
Rim Drawing						
Rim Offset	2.6mm	2.6mm	3mm	3mm	3mm	3.5mm
Rim Width	30mm	30mm	33mm	33mm	38mm	40mm
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	DT350 Boost	DT350 Boost	DT350 Boost	DT350 Boost	DT350 Boost	DT350 Boost
Front Size	15*110mm	15*110mm	15*110mm	15*110mm	15*110mm	15*110mm
Rear Size	12*148mm	12*148mm	12*148mm	12*148mm	12*148mm	12*148mm
Spoke	Sapim Race	Sapim Race	Sapim Race	Sapim Race	Sapim Race	Sapim Race
Tire Size (Recommended)	29*2.0"-2.4"	29*2.0"-2.4"	29*2.1"-2.5"	29*2.1"-2.5"	29*2.3"-2.8"	29*2.35"-3.0"
Weight (+/-3%)	1486g	1386g	1526g	1446g	1666g	1746g

ProX 88MB MTB Boost Hub
6-bolt and Center Lock optional

Ratchet Freehub System
Shimano 11s, Microspline 12s or SRAM XD optional

Tubeless Ready









XC/TR/AM/EN rims optional

Pillar 1423 spokes, strong&stiff

Precise Wheels Handbuilt

ProX Affordable 88MB Ratchet System Mountain Bike Boost Carbon Wheels

Model	88MB-PAD930-1423	88MB-PAD930GP-1423	88MB-PAD933-1423	88MB-PAD933GP-1423	88MB-PAD938-AM-1423	88MB-PAD940-1423
Rim Drawing						
Rim Offset	2.6mm	2.6mm	3mm	3mm	3mm	3.5mm
Rim Width	30mm	30mm	33mm	33mm	38mm	40mm
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	ProX 88MB	ProX 88MB	ProX 88MB	ProX 88MB	ProX 88MB	ProX 88MB
Front Size	15*110mm	15*110mm	15*110mm	15*110mm	15*110mm	15*110mm
Rear Size	12*148mm	12*148mm	12*148mm	12*148mm	12*148mm	12*148mm
Spoke	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423	Pillar 1423
Tire Size (Recommended)	29*2.0"-2.4"	29*2.0"-2.4"	29*2.1"-2.5"	29*2.1"-2.5"	29*2.3"-2.8"	29*2.35"-3.0"
Weight (+/-3%)	1515g	1415g	1555g	1475g	1695g	1775g

ProX E810 e-bike hubs

Steel materials thru axle sleeve and freehub body
Shimano 11s, Microspline 12s or SRAM XD freehub

Precise Wheels Handbuilt

29er and 27.5er size optional

Sapim Race spokes, super strong and durable

Strong wheels for E-bike, 140kg max weight limit

ProX E-bike Specific E810 E-Mountain Bike Boost Carbon Wheels

Model	E810-PMC937-EN-Race	E810-PAD938-EN-Race	E810-PAD940-EN-Race	E810-PRD737-EN-Race
Rim Drawing				
Rim Offset	3mm	3mm	3.5mm	0mm
Rim Width	37mm	38mm	40mm	37mm
Tire Type	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher	Tubeless or Clincher
Hub	ProX E810	ProX E810	ProX E810	ProX E810
Front Size	15*110mm	15*110mm	15*110mm	15*110mm
Rear Size	12*148mm	12*148mm	12*148mm	12*148mm
Spoke	Sapim Race	Sapim Race	Sapim Race	Sapim Race
Tire Size (Recommended)	29*2.25"-2.6"	29*2.3"-2.8"	29*2.35"-3.0"	650b*2.3"-2.8"
Weight (+/-3%)	2052g	2032g	2032g	2073g



23mm Inner Width

Tubeless Ready

Premium Carbon Fiber
Toray T700+T800



Wide U Shape Design

2-year Warranty

38/45/50/55/60 Depth Optional


ProX 29mm Wide Disc Brake 700C Carbon Clincher Rims 23mm Inner Width

Model	PRD29-38C	PRD29-45C	PRD29-50C	PRD29-55C	PRD29-60C
Sectional Drawing					
Weight(±15g)	390g	400g	430g	460g	480g
Terrain (Recommended)	Road	Road	Road	Road	Road
ERD	564mm	550mm	540mm	530mm	520mm
Material	T700+T800	T700+T800	T700+T800	T700+T800	T700+T800
Max Weight Limit	105kg/230lb	110kg/240lb	110kg/240lb	115kg/250lb	120kg/265lb
Max Spoke Tension	130kgf	130kgf	130kgf	130kgf	130kgf
Max Tire Pressure	125psi/8.6bar	125psi/8.6bar	125psi/8.6bar	125psi/8.6bar	125psi/8.6bar
Tire Size (Recommended)	700*30C-50C	700*30C-50C	700*30C-50C	700*30C-50C	700*30C-50C



ProX Carbon Gravel Rims Widened 26mm Inner Width 700C Carbon Rims For Gravel Bike


Model	PXG26-40C	PXG26-45C	PXG26-50C
Sectional Drawing			
Weight(±15g)	410g	430g	450g
Terrain (Recommended)	CX/Gravel	CX/Gravel	CX/Gravel
ERD	560mm	550mm	540mm
Material	T700	T700	T700
Max Weight Limit	120kg/265lb	120kg/265lb	120kg/265lb
Max Spoke Tension	130kgf	130kgf	130kgf
Max Tire Pressure	90psi/6.2bar	90psi/6.2bar	90psi/6.2bar
Tire Size (Recommended)	700*37C-50C	700*37C-50C	700*37C-50C



Wide U Shape Design

32mm Inner Width

Tubeless Ready



Reinforced Lay-up for Gravel Bike

Customized Logo Acceptable

2-year Warranty

ProX Carbon Gravel Rims Widened 32mm Inner Width 700C Gravel Bike Carbon Rims

Model	PXG32-40C	PXG32-45C	PXG32-50C
Sectional Drawing			
Weight(±15g)	430g	440g	460g
Terrain (Recommended)	CX/Gravel	CX/Gravel	CX/Gravel
ERD	560mm	550mm	540mm
Material	T700	T700	T700
Max Weight Limit	120kg/265lb	120kg/265lb	120kg/265lb
Max Spoke Tension	130kgf	130kgf	130kgf
Max Tire Pressure	90psi/6.2bar	90psi/6.2bar	90psi/6.2bar
Tire Size (Recommended)	700*44C-70C	700*44C-70C	700*44C-70C

PROX



TEL: +86-592-7192568

Mobile/WhatsApp: +86 15159263591

WEB: www.proxcarbon.com

EMAIL: info@proxcarbon.com

ADD: Room 204, No.598 South Guankou Road, Xiamen City, 361023, China



PROX



2025-2026

Road/Gravel/MTB/E-MTB Carbon Wheels/Rims

Who is PROX?

Xiamen ProX Carbon Technology Co., Ltd. set up factory in Xiamen City (Fujian Province, China) in 2010.

At the beginning, we manufactured all kinds of customized carbon fiber products according to customers’ demand, including carbon bike rims, carbon tubes, carbon drone body shell, etc.

Since 2012, we decided to focus on main products - carbon bike rims.

In 2012, we built full range carbon road rims with 20.5mm width.

In 2014, we built full range carbon road rims with 23mm width.

In 2015, we built full range carbon road rims with 25mm width.

In 2016, we introduced product line for BMX carbon rims, as well as fatbike carbon rims.

In 2018, we introduced product line for MTB carbon rims. During the same year, we set up wheel building workshop, and started to build carbon wheelset in-house.

In 2019, we added 28mm width carbon road rims into our product line (both rim brake and disc brake). Besides, we created gravel carbon rims.



During the same year (2019), LightCarbon (China leading carbon frame manufacturer) visited us. After several trial order for testing, they were very satisfied with our quality.

Eventually, LightCarbon invested our facotry, and we build close business relationship.

ProX supply carbon rims and carbon wheelset to LightCarbon, and LightCarbon supply carbon frameset and components to ProX.

Since then, both ProX and LightCarbon are able to supply carbon rims, carbon wheels and carbon frameset, with same factory price. So it is convenient for customers to do one-stop purchasing.

We are known and recognized by more and more brands, and have been selling our carbon rims/wheels/framesets to over 70 countries till 2025.

ProX is always ready to supply you high quality carbon rims/wheels/frames, with fast delivery!

Why Choose ProX?

- More than 10 years’ experience in carbon rims developing and manufacturing.
- * More than 3,000M² plant area.
 - * 50+ total staff, including 6 engineers, 40+ well-trained workers.
 - * Already got 40+ utility and invention patent.
 - * 4,000 pcs/month production capacity for carbon rims.
 - * 1200 pairs/month production capacity for carbon wheelsets.
 - * Our carbon rims are rigorously tested under international standard ISO4210.
 - * Well selected hubs and spokes used to build wheelset, including DT Swiss, Powerway hubs, etc. Sapim, Pillar spokes, etc.
 - * All wheelsets are hand built and trued by experienced mechanician.
 - * Customized logo, painting or package is available.
 - * We can also help to make new graphic design.
 - * Private mould for rims and even hubs are also negotiable.
 - * Good production management to ensure in-time delivery.
 - * Fast response and good after-sale support...



ProX Carbon Rims & Wheels Testing

